K - TIMBER COMPANY

BROCHURE

#1 GLOBALLY TRUSTED TIMBER SUPPLIER FROM AFRICA



L +84 84 444 4693

♀ 169 Nguyen Ngoc Vu street, Cau Giay District


Hanoi, Vietnam

♥ Avenida Pedro Castro Van - Dunem Loy - Bairro Morro bento, Municipio: Luanda, Provincia: Luanda, Angola

info@k-timbers.com

 info@k−timbers.com

k-timbers.com



PRODUCT LIST

- Angola wood is the top quality in Africa
- Evaluation of good wood percentage >80%
- 20% cheaper than wood of the same type on the market
- Excellent natural properties
- Large supply capacity: 50.000 m3. All year round
- Low MOQ: from 1 container

Hardwood



WHY CHOOSE US?

"As global demand for wood continues to grow, K-TIMBER has become a leading supplier of African hardwoods worldwide. Committed to providing FAS standard hardwood lines, with more outstanding hardness and color compared to other continents."

Cost-Effective Excellence

Save 20% compared to wood of the same type on the market

Exceptional Durability ------

No warping or cracking from heat.

Variety of Applications -----

Iroko, Sapele, and Sipo hardwoods offer superior durability for many uses.

Aesthetic Appeal

Angola wood features captivating colors, enhancing product aesthetics.

Easy Processing

After harvest, drying, and fumigation, these hardwoods become stable and easy to work with.




THE PRODUCT K-TIMBER WOODS

EUROWOOD WOOD GRADING STANDARDS		
NO.	GRADE	CRITERIA
	FAS SELECT	1- Wood is not rotten
		2- May have cracks but not exceeding 10% of length
1		3- May have bark pockets < 10%
		4- Wood may have knots < 10%
		EVALUATION OF GOOD WOOD PERCENTAGE > 80%
	No. 1 COMMON	1- Wood is not rotten
		2- May have cracks but not exceeding 20% of length
2		3- May have bark pockets < 20%
		4- Wood may have knots < 10%
		EVALUATION OF GOOD WOOD PERCENTAGE 65% - 80%





EVALUATION OF GOOD WOOD PERCENTAGE > 80%

RAW WOOD FORMATS



FLOORING







SLABS/DISKS WOOD

IROKO

Iroko is marketed as a low-cost alternative to genuine TEAK, and is even sold under the name African teak, though that common name is much more commonly applied to afrormosia (Pericopsis Elata)—but neither of these woods are botanically related to true teak. Nonetheless, the wood is stable, durable, and has an overall look that somewhat resembles teak.

Scientific Name	Chlorophora excelsa, Chlorophora regia Family: Moraceae
Origin	Angola
Availalibity	Lumber/ Slab/ Disk/ Flooring
Colour	Heartwood is usually a yellow to golden or medium brown, with color tending to darken over time. Pale yellow sapwood is clearly demarcated from the heartwood.
Durability	Very durable, and is resistant to both rot and insect attack
Density	650 - 850 kg/m3
Nation Preferred	USA, Australia, Asia, Europe, Pakistan, Egypt





SAPELE

With suitable weather conditions in Angola, **Sapele** wood trees grow well and in very large numbers. The large size makes Sapele wood popular in Europe and the UAE. We guarantee the cheapest prices on the market.

Scientific Name	Entandrophragma Cylindicum
Origin	Angola
Availalibity	Lumber/ Slab/ Disk/ Flooring
Colour	Heartwood is medium to dark-raddish brown with a medium texture, high-luster, pale yellow sapwood
Durability	- Medium - Needs to be painted or stained
Density	700 - 900 kg/m3
Nation Preferred	USA, Australia, Asia, Europe, Spain, Sweden





TAKULA-PADOUK

There is no debate about its hardness and resistance to insects, Padauk wood deserves to be the choice of top interior designers. Beautiful wood grain helps elevate your product.

Scientific Name	Pterocarpus Tinctorius Family: Fabaceae
Origin	Angola
Availalibity	Lumber/ Slab/ Disk/ Flooring
Colour	Heartwood is reddish brown. Sapwood is pale yellowish white
Durability	Extremely heavy and dense but very durable, Padauk's Has excellent decay resistance.
Density	550 kg/m3
Nation Preferred	USA, Australia, Asia, Europe, Pakistan Russia,





RED GUM

Red Gum in Angola is suitable for local climatic conditions, so it is large in size and has a darker, more beautiful wood color than Eucalyptus Camaldulensis and Red Gum Globulus

Scientific Name	Red Gum Globulus Labill
Origin	Angola
Availalibity	Lumber/ Slab/ Disk/ Flooring
Colour	Heartwood is pale cream color and the hearwood is red to reddish-brown
Durability	Durability is rated at moderate level
Density	480 - 550 kg/m3
Nation Preferred	USA, Australia, Asia, Europe, Spain, Morocco, Russia





SIPO-UTILE

The tropical Sipo tree is one of the largest trees in Angola, reaching up to 60 meters in height and 2 meters indiameter! This versatile wood is popular for use in both interior and exterior furniture. Sipo wood is especially popular in the US and Australian markets for its durability and aesthetic qualities.

Scientific Name	Entandrophragma
Origin	Angola
Availalibity	Lumber/ Slab/ Disk/ Flooring
Colour	Heartwood is golden to reddish brown. Fairly well defined sapwood is a contrasting pale brown
Durability	Durable to moderately durable for rot and bug resistance
Density	620-880 kg/m3
Nation Preferred	USA, Australia, Asia, Europe, Cameroon, Morocco






PACHYLOBA

With a captivating grain pattern and warm tones, it is an ideal choice for crafting enduring furniture and interior elements. Known for its durability, Pachyloba wood ensures both visual appeal and long-lasting functionality. Additionally, its sustainable nature and resistance to pests make it an environmentally friendly option.

Scientific Name	Afzelia Pachyloba
Origin	Angola
Availalibity	Lumber/ Slab/ Disk/ Flooring
Colour	Ranges from light to dark red-brown
Durability	Durable, requires no treatment with preservatives
Density	660 - 850 kg/m3
Nation Preferred	USA, Australia, Asia, Europe, Russia. Sweden, China, Pakistan





DOUSSIÉ-AFZE

Doussié wood from Angola is a rare, hardwood with a deep, rich brown color and beautiful grain pattern. Doussié wood is highly durable and does not require treatment withpreservatives, even when used in wet or insect-infested environments.

Scientific Name	Afzelia .
Origin	Angola
Availalibity	Lumber
Colour	Heartwo brown, v yellow s heartwo
Durability	Very har
Density	650 - 85
Nation Preferred	USA, Au





AFRICAN MAHOGANY -

An exquisite wood sourced from the heart of Africa, renowned for its timeless elegance and versatility. Acajou d'Afrique is celebrated for its resistance to decay and stability, making it a reliable choice for various applications.

Scientific Name	Khay
Origin	Ango
Availalibity	Lumb
Colour	Hear distin sapw
Durability	Very resist
Density	600 -
	_





770 kg/m3

BILINGA

Bilinga wood is a versatile and attractive option for a variety of woodworking projects. Its durability and unique color make it a standout choice for those looking for a high-quality wood that will last for many years.

Scientific Name	Nauclea diderrichii
Origin	Angola
Availalibity	Lumber/ Slab/ Disk/ Flooring
Colour	Ranges from golden yellow to golden brown.
Durability	Very strong and durable wood. It is naturally resistant to fungi, termites, and dry wood borers
Density	750-900 kg/m³
Nation Preferred	France, Portugal, Spain, North America





MUKULUNGU

The wood has a fine texture and often displays an attractive grain pattern, highly valued for its durability and resistance to decay, making it suitable for a variety of applications.

Scientific Name	Autranella Congolensis
Origin	Angola
Availalibity	Lumber/ Slab/ Disk/ Flooring
Colour	Ranges from reddish-brown heartwood to darker brown streaks
Durability	Exceptional durability. It's highly resistant to fungi, termites, and even dry wood borers
Density	890-950 kg/m3
Nation Preferred	United States, Cameroon, Spain, Turkey, Thailand, Vietnam





DABEMA

The wood has a fine texture and often displays an attractive grain pattern, highly valued for its durability and resistance to decay, making it suitable for a variety of applications.

Scientific Name	Piptadeniastrum Africanum
Origin	Angola
Availalibity	Lumber/ Slab/ Disk/ Flooring
Colour	Ranges from light brown to dark brown
Durability	Highly regarded for its impressive density and durability
Density	689 - 695 kg/m3
Nation Preferred	France, Germany, China, Portugal





DIBETOU

Dibetou is a hardwood often used as a cost-effective alternative to genuine walnut, despite not being botanically related. It is stable, durable, and has an attractive appearance resembling true walnut, making it popular for furniture and veneers.

Scientific Name	Lovoa trichilioides		
Origin	Angola		
Availalibity	Lumber/ Slab/ Disk/ Flooring		
Yellow brown or grey brown wi Streaks or veins taking a golde			
Durability	y Durability is rated at moderate level		
Density	700 - 900 kg/m3		
USA, Australia, Asia, Europe, S Sweden			





KOSIPO

Kosipo is marketed as a low-cost alternative to genuine Mahogany, and is even sold under the name African Mahogany. It is commonly employed in the manufacture of furniture, cabinetry, and interior joinery.

Scientific Name	Entandrophragma candollei
Origin	Angola
Availalibity	Lumber/ Slab/ Disk/ Flooring
Colour	Heartwood is a golden to dark reddish brown. Color tends to darken with age.
Durability	Moderately durable to durable to fungi and is durable to dry wood borers
Density	680-745 kg/m³
Nation Preferred	United Kingdom, Germany, United States, Ghana, China





MUSSIVI

Mussivi wood is prized for its unique characteristics, beautiful reddish-brown color, and smooth, interlocking grain pattern. These qualities make it a valuable material for furniture, flooring, and other high-end applications.

Scientific Name	Guibourtia Coleosperma Angola		
Origin			
Availalibity	Lumber/ Slab/ Disk/ Flooring		
Colour	Ranges from light brown to golden brown, chocolate, brick red or purplish brown		
Durability	Mussivi wood is hard, tough, and strong, and is rarely damaged by termites due to its high oil content		
Density	700-900 kg/m³		
Nation Preferred	South Africa, Ghana, China, Thailand, Vietnam,		





FURNITURE MADE FROM ANGOLA WOOD

INDOOR FURNITURE

STYLE

Renowned for distinctive grain patterns, Angola hardwood provides a visually appealing and unique look. Its warm, earthy tones add elegance to interiors, creating a timeless and inviting atmosphere. Customizable to highlight the wood's individual beauty.

DURABILITY

Inherently durable, Angola hardwood resists rot, decay, and insect damage. Dense composition provides robustness for furniture, flooring, and construction projects. Sustainable and reliable choice for long-lasting quality.

COMPATIBLE WITH HIGH QUALITY:

Angola hardwood signifies premium quality, featuring a fine texture and smooth finish. Natural luster enhances aesthetics, creating a luxurious and timeless appeal. Stability and resistance to warping contribute to long-lasting quality









OUTDOOR FURNITURE















CONSTRUCTION MATERIAL

















OUR WOOD FACTORY

Annual output: 50,000 CBM/ year chine: Standing CD machine, Swing Blade Sawmill rker: More than 100 workers at the Angola factory. factory is 7.000 square meter in Luanda, Angola.











K-Timber focuses on wood output standards. We check moisture, size, and stability before loading.

SAWMILL

Sawmills in 3 provinces: Bengo Angola – Uige – Luanda Norte



History

Founded in 1996: Established thanks to Vietnamese forest and agricultural experts who went to Angola to help the government.



Top 10 supplier of raw wood for wood manufacturing enterprises in Vietnam.

Exported the first shipments to the US

2000

2005

2016

2020

Honored by Vietnam Wood Association Exported wood to the entire global market.





FOREST AREA & IMPROVEMENT OF ANGOLAN LIFE



(HATC) plants ten thousand trees every year and instructs the Angolan people to cultivate crops.







K-Timber joins the Vietnamese community in Luanda-Sul to support and supply goods to impoverished children.





K-TIMBER (HATC WOOD AFRICAN)

works closely with the Angolan government













K-Timber (HATC) participated in economic meetings with the forestry minister of Angola

K-TIMBER STAFF MEETING











K-Timber Staff in Vietnam discussed about future marketing strategies

About **Us**

K-Timber was established in 1996 and has branches in Angola and Vietnam. Starting with logging wood transferred to Vietnam, we have expanded to export to European, American, and Middle Eastern markets.



Our advantage lies in good prices and quality due to our long-standing experience, large output, and the wonderful nature of Angola. With more than 20 years of experience in the Angolan wood export industry and the capacity to supply large volumes, we are confident in providing high-quality African hardwood products at the most competitive prices on the market. We have a good relationship with the Angolan government, which allows us to carry out the necessary procedures quickly and accurately. Additionally, we contribute to providing jobs and livelihoods to thousands of African farming families through our responsible forestry and logging practices.



AWARDS



Award for Top 10 Most Trusted Brand in ASEAN



The greatest reward of K-TIMBER (HATC Wood African) is to bring ecological planning to the people of Africa.

We work on reforestation, food production and child sponsorship.

CERTIFICATES



CITES (Convention on International Trade in Endangered Species)
CESM (Certified Environmental Systems Manager)
CoC (Certificate of Conformity)

STANDARD PURCHASE **PROCEDURES**

No	Who	Work	Days(Max)
1	Both	Product Enquiry	2
2	Both	Details Negotiation	4
3	Buyer	Confirm PI	2
4	Buyer	Payment	3
5	Seller	Mass Production	12
6	Seller	Load Container	14
7	Seller	Delivery	(*)
8	Seller	After sales service	
9	Buyer	Repeat order	
Deli	very time can k	oe adjusted according to mutua	Il agreement

Flatdeck Truck Container Container Truck Origin Port Sawmill **Loading Facility**











Customs Clearance



Destination Port








Ocean Carrier

Warehouse

Container Truck

PAST PERFORMANCE





CAS CONVENTION ON SETSMATICANAL MADE OVERSCHAFTED SPECIES OF SELD FALLMA AD FLURA			- dynam - marchin	- 14	Contract Contract
Section 1	THE THE T	-	1 0	Committee of the commit	Communications of the
	=	and the second	Janetine Sac	Control and the control of the contr	Markette Made e Cianarrapite
	- Comp		· market	T. Garrieron	
18 States (Glob Pediate)	* Haller		0.0-00	= 13.00m²	15.00W
	***	-	S Sanda	-	10 % 25 pps 200 faces
18:				44	in.
II Isakelepa	Dept on		(in Controller)	others St.	15 to 410 qual
18			*	-	The .
S Sanctings.	-	-	On Controller 1	ster to	10100
14		_	-	-	156
	-	-	On Company of the Con-	miner (m	19.00
Coales in ability the personnel rate for a personnel region of the personnel r	A WHOLE				THE .





K-Timber 's Customer from Denmark imported 40m3.

Product: Doussié

They continue to order Iroko wood for next order.

PAST PERFORMANCE











K-Timber 's Customer from USA Quantity 4 conts Product: Sipo, Mussivi, Sapele

PAST PERFORMANCE

K-TIMBER has successfully completed many timber export orders to over 30 countries around the world, such as the Middle East, Europe, and the United States.



Mr. John Deere

"We are very satisfied with the quality of K-TIMBER's Pachyloba. We used K-TIMBER's Pachyloba wood to make kitchen products and were very satisfied with the results'



Mr. Bean

"K-TIMBER has been a reliable partner of ours for many years. Their wood always meets high-quality standards and meets all our requirements"




Mr. Duane

"We have worked with many different African timber suppliers, but K-TIMBER is the supplier we are most satisfied with. We have received positive feedback from our customers about the quality of K-TIMBER's (mod!"




HATCH COMERCIO -...






CUSTOMERS FROM VIETNAM









CUSTOMERS

FROM OTHER COUNTRIES



CUSTOMER FEEDBACK







SENIOR LEADERSHIP TEAM

MR. ROSSI



CHIEF EXECUTIVE OFFICER



MR. TIM PHAM
BUSINESS MANAGER



MR. LOUIS NGUYEN
AREA MANAGER




MS. MOH
OPERATIONAL MANAGEMENT



MR. MIKE
MARKET STRATEGIST

FAQ

IN MANY YEARS OF BUSINESS, K-TIMBER HAS RECEIVED MANY QUESTIONS FROM CUSTOMERS ABOUT PRICE AND QUALITY



How can customers trust the quality of K-TIMBER products?

THE ANSWER LIES IN THE QUALITY OF THE WOOD

K-TIMBER always asserts that: "The percentage of wood waste and heartwood of K-TIMBER is non-existent. We guarantee that the wood meets FAS quality standards with a good wood ratio more than 80%."



CONTACT US

With more than 20 years of experience and the ability to optimize costs, our company brings you the best prices and top quality.

Do you need a reliable partner? Please contact us by email and let us know your intentions. One of our representatives will contact you afterwards.



Company Name: K-Timber (HATC WoodAfrican)

VAT Number: 0108888077

Location: Angola

Contact person: +84 84 444 4693 (Whatsapp)

Email: info@k-timbers.com

Tel: +84 84 444 4693

Website: k-timbers.com

K-TIMBER (HATC WOODAFRICAN)

THANK YOU

Wood African
Quality is king!

