

K - TIMBER COMPANY

BROCHURE

#1 GLOBALLY TRUSTED TIMBER SUPPLIER FROM AFRICA



CONTACT

Vietnam

+84 84 444 4693

169 Nguyen Ngoc Vu street, Cau Giay District
Hanoi, Vietnam

Avenida Pedro Castro Van - Dunem Loy - Bairro
Morro bento, Municipio: Luanda, Provincia: Luanda, Angola

info@k-timbers.com

k-timbers.com




Product List	03
Why Choose Us?	04
Classification Standards	05
Raw Wood Formats	06
K-Timber Wood List	07-12
Applications	13-16
Our Wood Factory	17-18
History	19-23
Awards	24
Certificates	25
Purchase Procedure	26
Performances	27-29
Customers	30-32
FAQ	33

PRODUCT LIST


- Angola wood is the top quality in Africa
- Evaluation of good wood percentage >80%
- 20% cheaper than wood of the same type on the market
- Excellent natural properties
- Large supply capacity: 50.000 m3. All year round
- Low MOQ: from 1 container

Hardwood

IROKO



SAPELE



PADOUK



ACAJOU



RED GUM



DOUSSIÉ



PACHYLOBA



SIPO




KOSIPO




MUSSIVI




DABÉMA



DIBÉTOU




MOVINGUI



MUKULUNGU



IZOMBÉ



BILINGA



WHY CHOOSE US?

"As global demand for wood continues to grow, K-TIMBER has become a leading supplier of African hardwoods worldwide. Committed to providing FAS standard hardwood lines, with more outstanding hardness and color compared to other continents."

Cost-Effective Excellence

Save 20% compared to wood of the same type on the market

Exceptional Durability

No warping or cracking from heat.

Variety of Applications

Iroko, Sapele, and Sipo hardwoods offer superior durability for many uses.

Aesthetic Appeal

Angola wood features captivating colors, enhancing product aesthetics.

Easy Processing

After harvest, drying, and fumigation, these hardwoods become stable and easy to work with.



THE PRODUCT

K-TIMBER WOODS

EUROWOOD WOOD GRADING STANDARDS

NO.	GRADE	CRITERIA
1	FAS SELECT	1- Wood is not rotten
		2- May have cracks but not exceeding 10% of length
		3- May have bark pockets < 10%
		4- Wood may have knots < 10%
		EVALUATION OF GOOD WOOD PERCENTAGE > 80%
2	No. 1 COMMON	1- Wood is not rotten
		2- May have cracks but not exceeding 20% of length
		3- May have bark pockets < 20%
		4- Wood may have knots < 10%
		EVALUATION OF GOOD WOOD PERCENTAGE 65% - 80%



EVALUATION OF GOOD WOOD PERCENTAGE > 80%

RAW WOOD FORMATS



FLOORING



DIMENSIONAL LUMBER



KILN DRIED WOOD



SLABS/DISKS WOOD

IROKO

Iroko is marketed as a low-cost alternative to genuine TEAK, and is even sold under the name African teak, though that common name is much more commonly applied to afrormosia (*Pericopsis Elata*)—but neither of these woods are botanically related to true teak. Nonetheless, the wood is stable, durable, and has an overall look that somewhat resembles teak.

Scientific Name	<i>Chlorophora excelsa</i> , <i>Chlorophora regia</i> Family: Moraceae
Origin	Angola
Availability	Lumber/ Slab/ Disk/ Flooring
Colour	Heartwood is usually a yellow to golden or medium brown, with color tending to darken over time. Pale yellow sapwood is clearly demarcated from the heartwood.
Durability	Very durable, and is resistant to both rot and insect attack
Density	650 - 850 kg/m ³
Nation Preferred	USA, Australia, Asia, Europe, Pakistan, Egypt



SAPELE

With suitable weather conditions in Angola, **Sapele** wood trees grow well and in very large numbers. The large size makes Sapele wood popular in Europe and the UAE. We guarantee the cheapest prices on the market.

Scientific Name	<i>Entandrophragma Cylindricum</i>
Origin	Angola
Availability	Lumber/ Slab/ Disk/ Flooring
Colour	Heartwood is medium to dark-raddish brown with a medium texture, high-luster, pale yellow sapwood
Durability	- Medium - Needs to be painted or stained
Density	700 - 900 kg/m ³
Nation Preferred	USA, Australia, Asia, Europe, Spain, Sweden



TAKULA-PADOUK

There is no debate about its hardness and resistance to insects, Padauk wood deserves to be the choice of top interior designers. Beautiful wood grain helps elevate your product.

Scientific Name	<i>Pterocarpus Tinctorius</i> Family: Fabaceae
Origin	Angola
Availability	Lumber/ Slab/ Disk/ Flooring
Colour	Heartwood is reddish brown. Sapwood is pale yellowish white
Durability	Extremely heavy and dense but very durable, Padauk's Has excellent decay resistance.
Density	550 kg/m3
Nation Preferred	USA, Australia, Asia, Europe, Pakistan Russia, Cameroon



RED GUM

Red Gum in Angola is suitable for local climatic conditions, so it is large in size and has a darker, more beautiful wood color than Eucalyptus Camaldulensis and Red Gum Globulus

Scientific Name	<i>Red Gum Globulus Labill</i>
Origin	Angola
Availability	Lumber/ Slab/ Disk/ Flooring
Colour	Heartwood is pale cream color and the hearwood is red to reddish-brown
Durability	Durability is rated at moderate level
Density	480 - 550 kg/m3
Nation Preferred	USA, Australia, Asia, Europe, Spain, Morocco, Russia



SIPO-UTILE

The tropical Sipo tree is one of the largest trees in Angola, reaching up to 60 meters in height and 2 meters in diameter! This versatile wood is popular for use in both interior and exterior furniture. Sipo wood is especially popular in the US and Australian markets for its durability and aesthetic qualities.


Scientific Name	<i>Entandrophragma</i>
Origin	Angola
Availability	Lumber/ Slab/ Disk/ Flooring
Colour	Heartwood is golden to reddish brown. Fairly well defined sapwood is a contrasting pale brown
Durability	Durable to moderately durable for rot and bug resistance
Density	620-880 kg/m ³
Nation Preferred	USA, Australia, Asia, Europe, Cameroon, Morocco



PACHYLOBA

With a captivating grain pattern and warm tones, it is an ideal choice for crafting enduring furniture and interior elements. Known for its durability, Pachyloba wood ensures both visual appeal and long-lasting functionality. Additionally, its sustainable nature and resistance to pests make it an environmentally friendly option.

Scientific Name	<i>Azelia Pachyloba</i>
Origin	Angola
Availability	Lumber/ Slab/ Disk/ Flooring
Colour	Ranges from light to dark red-brown
Durability	Durable, requires no treatment with preservatives
Density	660 - 850 kg/m ³
Nation Preferred	USA, Australia, Asia, Europe, Russia, Sweden, China, Pakistan



DOUSSIÉ-AFZELIA

Doussié wood from Angola is a rare, hardwood with a deep, rich brown color and beautiful grain pattern. Doussié wood is highly durable and does not require treatment with preservatives, even when used in wet or insect-infested environments.

Scientific Name	<i>Azelia Africana (Caesalpinaceae)</i>
Origin	Angola
Availability	Lumber/ Slab/ Disk/ Flooring
Colour	Heartwood is usually a yellow to golden or medium brown, with color tending to darken over time. Pale yellow sapwood is clearly demarcated from the heartwood.
Durability	Very hard and durable, and it has excellent resistance to attack by termites
Density	650 - 850 kg/m ³
Nation Preferred	USA, Australia, Asia, Europe, Russia, Sweden, China



AFRICAN MAHOGANY - ACAJOU

An exquisite wood sourced from the heart of Africa, renowned for its timeless elegance and versatility. Acajou d'Afrique is celebrated for its resistance to decay and stability, making it a reliable choice for various applications.

Scientific Name	<i>Khaya Anthotheca</i>
Origin	Angola
Availability	Lumber/ Slab/ Disk/ Flooring
Colour	Heartwood is pale to purplish brown, distinctly demarcated from the white sapwood
Durability	Very hard and durable, and it has excellent resistance to attack by termites
Density	600 - 770 kg/m ³
Nation Preferred	USA, Australia, Asia, Europe, Spain, Sweden



BILINGA

Bilinga wood is a versatile and attractive option for a variety of woodworking projects. Its durability and unique color make it a standout choice for those looking for a high-quality wood that will last for many years.

Scientific Name	<i>Nauclea diderrichii</i>
Origin	Angola
Availability	Lumber/ Slab/ Disk/ Flooring
Colour	Ranges from golden yellow to golden brown.
Durability	Very strong and durable wood. It is naturally resistant to fungi, termites, and dry wood borers
Density	750-900 kg/m ³
Nation Preferred	France, Portugal, Spain, North America



MUKULUNGU

The wood has a fine texture and often displays an attractive grain pattern, highly valued for its durability and resistance to decay, making it suitable for a variety of applications.

Scientific Name	<i>Austranella Congolensis</i>
Origin	Angola
Availability	Lumber/ Slab/ Disk/ Flooring
Colour	Ranges from reddish-brown heartwood to darker brown streaks
Durability	Exceptional durability. It's highly resistant to fungi, termites, and even dry wood borers
Density	890-950 kg/m ³
Nation Preferred	United States, Cameroon, Spain, Turkey, Thailand, Vietnam



DABEMA

The wood has a fine texture and often displays an attractive grain pattern, highly valued for its durability and resistance to decay, making it suitable for a variety of applications.


Scientific Name	<i>Piptadeniastrum Africanum</i>
Origin	Angola
Availability	Lumber/ Slab/ Disk/ Flooring
Colour	Ranges from light brown to dark brown
Durability	Highly regarded for its impressive density and durability
Density	689 - 695 kg/m ³
Nation Preferred	France, Germany, China, Portugal



DIBETOU

Dibetou is a hardwood often used as a cost-effective alternative to genuine walnut, despite not being botanically related. It is stable, durable, and has an attractive appearance resembling true walnut, making it popular for furniture and veneers.

Scientific Name	<i>Lovoa trichilioides</i>
Origin	Angola
Availability	Lumber/ Slab/ Disk/ Flooring
Colour	Yellow brown or grey brown with black streaks or veins taking a golden glint
Durability	Durability is rated at moderate level
Density	700 - 900 kg/m ³
Nation Preferred	USA, Australia, Asia, Europe, Spain, Sweden



KOSIPO

Kosipo is marketed as a low-cost alternative to genuine Mahogany, and is even sold under the name African Mahogany. It is commonly employed in the manufacture of furniture, cabinetry, and interior joinery.

Scientific Name	<i>Entandrophragma candollei</i>
Origin	Angola
Availability	Lumber/ Slab/ Disk/ Flooring
Colour	Heartwood is a golden to dark reddish brown. Color tends to darken with age.
Durability	Moderately durable to durable to fungi and is durable to dry wood borers
Density	680-745 kg/m ³
Nation Preferred	United Kingdom, Germany, United States, Ghana, China



MUSSIVI

Mussivi wood is prized for its unique characteristics, beautiful reddish-brown color, and smooth, interlocking grain pattern. These qualities make it a valuable material for furniture, flooring, and other high-end applications.

Scientific Name	<i>Guibourtia Coleosperma</i>
Origin	Angola
Availability	Lumber/ Slab/ Disk/ Flooring
Colour	Ranges from light brown to golden brown, chocolate, brick red or purplish brown
Durability	Mussivi wood is hard, tough, and strong, and is rarely damaged by termites due to its high oil content
Density	700-900 kg/m ³
Nation Preferred	South Africa, Ghana, China, Thailand, Vietnam, Indonesia, Korea



FURNITURE MADE FROM ANGOLA WOOD

INDOOR FURNITURE

STYLE

Renowned for distinctive grain patterns, Angola hardwood provides a visually appealing and unique look. Its warm, earthy tones add elegance to interiors, creating a timeless and inviting atmosphere. Customizable to highlight the wood's individual beauty.

DURABILITY

Inherently durable, Angola hardwood resists rot, decay, and insect damage. Dense composition provides robustness for furniture, flooring, and construction projects. Sustainable and reliable choice for long-lasting quality.

COMPATIBLE WITH HIGH QUALITY:

Angola hardwood signifies premium quality, featuring a fine texture and smooth finish. Natural luster enhances aesthetics, creating a luxurious and timeless appeal. Stability and resistance to warping contribute to long-lasting quality.



OUTDOOR FURNITURE



CONSTRUCTION MATERIAL





K-Timber (HATC) wood lines are used for natural wood floors and construction projects of many reputable brands.



OUR WOOD FACTORY

Annual output: 50,000 CBM/ year

Machine: Standing CD machine, Swing Blade Sawmill

Worker: More than 100 workers at the Angola factory.

The factory is 7.000 square meter in Luanda, Angola.



K-Timber focuses on wood output standards.
We check moisture, size, and stability before loading.

SAWMILL

Sawmills in 3 provinces: Bengo Angola – Uige – Luanda Norte



History

Founded in 1996: Established thanks to Vietnamese forest and agricultural experts who went to Angola to help the government.



Top 10 supplier of raw wood for wood manufacturing enterprises in Vietnam.

Exported the first shipments to the US

2000


2005

2016

2020

Honored by Vietnam Wood Association

Exported wood to the entire global market.



FOREST AREA & IMPROVEMENT OF ANGOLAN LIFE



(HATC) plants ten thousand trees every year and instructs the Angolan people to cultivate crops.



K-Timber joins the Vietnamese community in Luanda-Sul to support and supply goods to impoverished children.



K-TIMBER (HATC WOOD AFRICAN)

works closely with the Angolan government



K-Timber (HATC) participated in economic meetings with the forestry minister of Angola

K-TIMBER STAFF MEETING



K-Timber Staff in Vietnam discussed about future marketing strategies

About Us

K-Timber was established in 1996 and has branches in Angola and Vietnam. Starting with logging wood transferred to Vietnam, we have expanded to export to European, American, and Middle Eastern markets.

Our advantage lies in good prices and quality due to our long-standing experience, large output, and the wonderful nature of Angola. With more than 20 years of experience in the Angolan wood export industry and the capacity to supply large volumes, we are confident in providing high-quality African hardwood products at the most competitive prices on the market. We have a good relationship with the Angolan government, which allows us to carry out the necessary procedures quickly and accurately. Additionally, we contribute to providing jobs and livelihoods to thousands of African farming families through our responsible forestry and logging practices.

Contact Us:

-  <https://k-timbers.com>
-  +84 84 444 4693 - (+244) 938856888
-  info@k-timbers.com
-  • Avenida Pedro Castro Lan - Dunem Loy - Bairro Morro Bento, Municipio: Luanda, Provincia: Luanda
- 169 Nguyen Ngoc Vu Street, Cau Giay District, Hanoi, Vietnam.



Mr Do Sy Hung, CEO of HATC (K- Timber) chaired the Angola business cooperation conference 2023.

AWARDS



Award for Top 10 Most Trusted Brand in ASEAN



The greatest reward of K-TIMBER (HATC Wood African) is to bring ecological planning to the people of Africa.
We work on reforestation, food production and child sponsorship.

CERTIFICATES



CITES (Convention on International Trade in Endangered Species)
 CISM (Certified Environmental Systems Manager)
 CoC (Certificate of Conformity)


STANDARD PURCHASE PROCEDURES

No	Who	Work	Days(Max)
1	Both	Product Enquiry	2
2	Both	Details Negotiation	4
3	Buyer	Confirm PI	2
4	Buyer	Payment	3
5	Seller	Mass Production	12
6	Seller	Load Container	14
7	Seller	Delivery	(*)
8	Seller	After sales service	
9	Buyer	Repeat order	

Delivery time can be adjusted according to mutual agreement







PAST PERFORMANCE



K-Timber 's Customer from Denmark imported 40m3. Product: Doussie They continue to order Iroko wood for next order.

PAST PERFORMANCE



K-Timber 's Customer from USA
 Quantity 4 conts
 Product: Sipo, Mussivi, Sapele

PAST PERFORMANCE

K-TIMBER has successfully completed many timber export orders to over 30 countries around the world, such as the Middle East, Europe, and the United States.



Mr. John Deere

"We are very satisfied with the quality of K-TIMBER's Pachyloba. We used K-TIMBER's Pachyloba wood to make kitchen products and were very satisfied with the results"



Mr. Bean

"K-TIMBER has been a reliable partner of ours for many years. Their wood always meets high-quality standards and meets all our requirements"



Mr. Duane

"We have worked with many different African timber suppliers, but K-TIMBER is the supplier we are most satisfied with. We have received positive feedback from our customers about the quality of K-TIMBER's wood"



HATCH COMERCIO - ...

BILL OF LADING No. MSDUA6025905
NON-NEGOTIABLE COPY

ISSUED BY: MEDITERRANEAN SHIPPING COMPANY S.A.
ADDRESS: 11030, GREEK ST., LYONS, FRANCE

DATE OF ISSUANCE: 15/07/2013

DESCRIPTION: 2 x 20 FT. FCL

MARKS: MADEIRA em NOKONGO (Afzelia pachyloba)

QUANTITY: 79.995 m³

UNIT PRICE: 137.000 USD

TOTAL (CIF): 10.858 USD

PLACE OF RECEIPT: LUANDA (ANGOLA)

PLACE OF DISCHARGE: HAIPHONG (VIETNAM)

SHIPMENT: 3 x 20 FT. FCL

DATE OF DELIVERY: 15/07/2013

TERMS OF PAYMENT: CIF LUANDA PORT, in accordance with Incoterms 2010.



SALES AGREEMENT

Contract No.: HATC-AL-09/ACIF/23 Date: July 15th, 2013

The Seller: HATC COMERCIO INDUSTRIA E SERVICOS (SU) LDA
Add.: Avenida Pedro De Castro Van Dunem
Lul Cape 37 Moro Bento/Luanda/Angola
Email: hatc.sgroindustria.tec2017@gmail.com
Tel: 00244 938856888

The Buyer: [REDACTED]
Address: [REDACTED]
DINH PROVINCE VIETNAM
Telephone n.: [REDACTED]
Taxe code: [REDACTED]
Email: [REDACTED]

The buyer and seller mutually agreed on the transaction under the following terms and conditions:

DESCRIPTION OF GOODS: NOKONGO (Afzelia pachyloba)

No	Description	Quantity m3	Unit Price USD/m3	Amount USD
1	Madeira em NOKONGO (Afzelia pachyloba)	79.995		
Total (CIF)		79.995		

In words: **One hundred ninety-eight US Dollar and twenty...**

Price term: **CIF LUANDA Port, in accordance with Incoterms 2010.**

- a) Quantity: 3 x 20 ft. FCL
- b) Quality:
 - The goods are checked and accepted in container (Import packing list)
 - All kind of logs must not be infested, rotten or angled, round
- 1. SHIPMENT**
 Delivery: within 150 days since signing contract
 Port of loading: Luanda/Angola
 Port of discharge: Haiphong Port/ Vietnam
 Transhipment: Allowed
TERM OF PAYMENT:
 CIF price at ANGOLA port
 The Buyer will transfer 100% by TT the total contract value before the goods arrive at the Haiphong port.



CUSTOMERS FROM VIETNAM

CITES PERMIT/CERTIFICATE No. 364

Original
2 valid until: 01/09/2024

X EXPORT
(1) RE-EXPORT
(2) IMPORT
(3) OTHER

HATC, COMÉRCIO INDÚSTRIA E SERVIÇOS (SU) LDA, LOCALIZADA NA AVENIDA PEDRO DE CASTRO VAN DUNEM Nº 364, MORRO BENTO LUANDA
TELEF: 9854 9388588
E-mail: idf.luanda@gmail.com

VIETNAME

**MINISTÉRIO DO AMBIENTE
Instituto Nacional de Biodiversidade e Conservação
INBC**
Luanda, Cidade de Luanda, Rua Padre António Vieira nº 12, 2º andar, 1800-000, Luanda, Angola. Telefone: +244 242 222 32934

2350524

1.5. Abacaxiz (Coffea pachyloba)

Block	Quantity	13. Bill of Lading/Air waybill number
A		
B		
C		
D		

CITES PERMIT/CERTIFICATE No. 364

**REPUBLICA DE ANGOLA
MINISTÉRIO DA AGRICULTURA
Instituto de Desenvolvimento Florestal**

**Certificado de Origem
(Certificate of Origin)**

Largo António Jacinto, Cx Postal nº 74, Teléfix 4244 222 32934
Luanda, E-mail: idf.luanda@gmail.com

Nº 225 /IDF/2023

Idf
**CERTIFICADO DE ORIGEM ADAPTADO AO
SISTEMA IDF**

Válido até (Valid until): 22 /12 / 2023

Exportação (Export) Importação (Import) Reexportação (Re-export)

(1) Exportador (Exporter): **HATC-COMÉRCIO, LDA, RUA AVENIDA PEDRO DE CASTRO VAN DUNEM Nº 364, MORRO BENTO-LUANDA-ANGOLA**

(2) Importador (Importer):

(3) Destinatário (Consignee):

(4) País de destino (Destination):

(5) Via de transporte (Means of transport):

(6) Ponto de saída (Exit point):

(7) País de origem (Country of origin):

(8) País de origem (Country of origin):

(9) Descrição do produto (Description of the product):

Nome vulgar (Common name)	Nome científico (Scientific name)	Grupo e qualidade (Group and quality)
Abacaxiz	Azela Pachyloba	...

(10) Declaração da Autoridade Florestal e Paralela (Declaration of the Forest and Wildlife Authorities):
Declaro que o produto ou derivados do produto é genuíno de origem vegetal dos serviços do CITES e foi tratado de acordo com as exigências fitossanitárias internacionais. (I declare that the product or derived product is of natural origin and is treated in accordance with the international phytosanitary requirements.)

(11) Autenticidade que emite o certificado (The authority issues the certificate):
LUANDA 22.08.2023
Local (Place) Data (Date)
Cargo, nome e assinatura (Position, name and signature)
Selo oficial (Official seal)

(12) A preencher pelo Afiliado (A preencher pelo Afiliado) (To be filled by the Affiliate) (To be filled by the Affiliate)
Ver pontos (V) (Quantity) Qualidade (Quality) Afiliados de Saúde (Export custom) Data (date)

(13) Dsc. de carga (Bill of lading)

Assinatura (Signature) Carimbo (Official stamp)

HATC
HATC, COMÉRCIO INDÚSTRIA E SERVIÇOS (SU) LDA
NIP: 8417824198

SALES AGREEMENT

Contract No.: HATC-AL-09A/CIF/23 Date: July 15th, 2023

The Seller: HATC COMÉRCIO INDÚSTRIA E SERVIÇOS (SU), LDA
Add : Avenida Pedro De Castro Van Dunem
Loi Cape 37 Moro Bento/Luanda/Angola
Email: hatac.agroindustria.tec2017@gmail.com
Tel:00244 938856888

The Buy
Address: ...
Represented by: ...
Telephone n: ...
Taxe code: /
Email: an...@mail.com

The buyer and seller mutually agreed on the transaction under the following terms and conditions:

DESCRIPTION OF GOODS: NKOKONGO (Afzelia pachyloba)

No	Description	Quantity m3 (m3)	Unit Price USD/m3	Amount USD
1	Madeira em NKOKONGO (Afzelia pachyloba)	79.995		2
Total (CIF)		79.995		

In words: **79.995** in hundred ninety-eight US Dollar and twenty... cents./
Price term: **CIF LUANDA Port, in accordance with Incoterm 2010.**

a) Quantity: 3 x 20 R. FCL
b) Quality:
- The goods are checked and accepted in container (Import packing list)
- All kind of logs must not be infested, rotten or singed, round

1. SHIPMENT
Delivery: within 150 days since signing contract
Port of loading: Luanda/Angola
Port of discharge: HaiPhong Port/Vietnam
Transhipment: Allowed
TERM OF PAYMENT:
CIF price at ANGOLA port
The Buyer will transfer 100% by TT the total contract value before the goods arrive at the HaiPhong port.

COMÉRCIO E SERVIÇOS HATC

**REPUBLICA DE ANGOLA
MINISTÉRIO DA AGRICULTURA E FLORESTAS
INSTITUTO DE DESENVOLVIMENTO FLORESTAL
Departamento Florestal**

Nº 271/PROC. 2243/2023

**CERTIFICADO FITOSSANITÁRIO
Phytosanitary Certificate**

CERTIFICA-SE QUE AS PLANTAS, PARTE DE PLANTAS OU PRODUTOS VEGETAIS QUE CONSTITUEM A REMESSA ABARCO DESCRITA FORAM CUIDADOSAMENTE INSPECCIONADOS, NA TOTALIDADE OU EM PARTE REPRESENTATIVA, EM LUANDA POR CRISTINA LAURA LUMBA GUINIAS FUNCIONÁRIO AUTORIZADO DA REPARTIÇÃO DE SANIDADE VEGETAL E CONSIDERADOS PRATICAMENTE ISENTOS DE DOENÇAS E INSETOS PERIGOSOS DAS CULTURAS, E QUE, A MESMA REMESSA É CONSIDERADA NAS CONDIÇÕES EXIGIDAS PELOS REGULAMENTOS FITOSSANITÁRIOS EM VIGOR NO PAIS IMPORTADOR: VIET NAM

DECLARAÇÕES EVENTUAIS QUANDO EXIGIDAS PELO PAIS IMPORTADOR:

RECURSO DA REMESSA

NATUREZA DA REMESSA: MADEIRA SERRADA EM TABUAS.
Nome do produto: BOTANICO QUANDO EXIGIDO PELO PAIS IMPORTADOR: **Afzelia pachyloba**

ORIGEM QUANDO EXIGIDA PELO PAIS IMPORTADOR: LUANDA-ANGOLA

QUANTIDADE, NATUREZA E PONDOS VOLUMES: 79,99 m3 COM 21,99 TONEL ADAS.

NOME E ENDEREÇO DO EXPORTADOR: HATC COMÉRCIO, LDA, RUA AVENIDA PEDRO DE CASTRO VAN DUNEM Nº 364, MORRO BENTO, LUANDA, TEL: 938856888, email: hatac@agroindustria.tec2017@gmail.com

NOME E ENDEREÇO DO DESTINATÁRIO: ANH LAM IMPORT AND EXPORT COMPANY LIMITED, DONG TINH VILLAGE, HOANG NAM COMMUNE, NGHIA HUNG DISTRICT, NAM DINH, VIET NAM. TEL: 008490464592, FAX: 0084 20154482, email: hatac@agroindustria.tec2017@gmail.com



PORTO DE ENTRADA: HAI PHONG - VIET NAM

LUANDA AOS 07 DE AGOSTO DE 2023

KZ 20.00
S.E. NACIONAL
O DIRETOR FLORESTAL
(ASSINATURA E Selo Oficial)

ASSINATURA (Signature) Selo Oficial (Official stamp)
CARGO (Position)
ING FLORESTAL

CUSTOMERS FROM OTHER COUNTRIES



CUSTOMER FEEDBACK



SENIOR LEADERSHIP TEAM

MR. ROSSI



CHIEF EXECUTIVE OFFICER

MR. TIM PHAM
BUSINESS MANAGER



MR. LOUIS NGUYEN
AREA MANAGER



MS. MOH
OPERATIONAL MANAGEMENT



MR. MIKE
MARKET STRATEGIST



FAQ

IN MANY YEARS OF BUSINESS, K-TIMBER HAS RECEIVED MANY QUESTIONS FROM CUSTOMERS ABOUT PRICE AND QUALITY



How can customers trust the quality of K-TIMBER products?

THE ANSWER LIES IN THE QUALITY OF THE WOOD

K-TIMBER always asserts that: "The percentage of wood waste and heartwood of K-TIMBER is non-existent. We guarantee that the wood meets FAS quality standards with a good wood ratio more than 80%."



K-TIMBER

CONTACT US

With more than 20 years of experience and the ability to optimize costs, our company brings you the best prices and top quality.

Do you need a reliable partner? Please contact us by email and let us know your intentions. One of our representatives will contact you afterwards.



SCAN FOR WEBSITE

Company Name: K-Timber (HATC WoodAfrican)

VAT Number: 0108888077

Location: Angola

Contact person: +84 84 444 4693 (Whatsapp)

Email: info@k-timbers.com

Tel: +84 84 444 4693

Website: k-timbers.com

K-TIMBER (HATC WOODAFRICAN)

THANK YOU

Wood African
Quality is king!

