

K - TIMBER COMPANY

PROFILE

#1 GLOBALLY TRUSTED TIMBER SUPPLIER FROM AFRICA



CONTACT

Vietnam


+84 84 444 4693

169 Nguyen Ngoc Vu street, Cau Giay District
Hanoi, Vietnam

Avenida Pedro Castro Van - Dunem Loy - Bairro
Morro bento, Municipio: Luanda, Provincia: Luanda, Angola

info@k-timbers.com

k-timbers.com



About Us	03
History	04
Why choose us	05
Sawmil	06
Our Wood Factory	07
Our Main Markets	08
Product List	09 - 17
Certificates	18
Purchase Procedure	19
Performances (Hard wood & Soft wood)	20-21
Customer	22
Awards	23
Contact us	26

About Us

K-Timber was established in 1996 and has branches in Angola and Vietnam. Starting with logging wood transferred to Vietnam, we have expanded to export to European, American, and Middle Eastern markets.

Our advantage lies in good prices and quality due to our long-standing experience, large output, and the wonderful nature of Angola. With more than 20 years of experience in the Angolan wood export industry and the capacity to supply large volumes, we are confident in providing high-quality African hardwood products at the most competitive prices on the market. We have a good relationship with the Angolan government, which allows us to carry out the necessary procedures quickly and accurately. Additionally, we contribute to providing jobs and livelihoods to thousands of African farming families through our responsible forestry and logging practices.

Contact Us:

-  <https://k-timbers.com>
-  +84 84 444 4693 - (+244) 938856888
-  info@k-timbers.com
-  • Avenida Pedro Castro Lan - Dunem Loy - Bairro Morro Bento, Municipio: Luanda, Provincia: Luanda
- 169 Nguyen Ngoc Vu Street, Cau Giay District, Hanoi, Vietnam.



Mr Do Sy Hung, CEO of HATC (K- Timber) chaired the Angola business cooperation conference 2023.

History

Founded in 1996: Established thanks to Vietnamese forest and agricultural experts who went to Angola to help the government.



Top 10 supplier of raw wood for wood manufacturing enterprises in Vietnam.

Exported the first shipments to the US

2000


2005

2016

2020

Honored by Vietnam Wood Association

Exported wood to the entire global market.



WHY CHOOSE US?

"As global demand for wood continues to grow, K-TIMBER has become a leading supplier of African hardwoods worldwide. Committed to providing FAS standard hardwood lines, with more outstanding hardness and color compared to other continents."

Cost-Effective Excellence

Save 20% compared to wood of the same type on the market

Exceptional Durability

No warping or cracking from heat.

Variety of Applications

Iroko, Sapele, and Sipo hardwoods offer superior durability for many uses.

Aesthetic Appeal

Angola wood features captivating colors, enhancing product aesthetics.

Easy Processing

After harvest, drying, and fumigation, these hardwoods become stable and easy to work with.



SAWMILL

Sawmills in 3 provinces: Bengo Angola – Uige – Luanda Norte



OUR WOOD FACTORY

Annual output: 50,000 CBM/ year

Machine: Standing CD machine, Swing Blade Sawmill


Worker: More than 100 workers at the Angola factory.

The factory is 7.000 square meter in Luanda, Angola.



K-Timber focuses on wood output standards.
We check moisture, size, and stability before loading.

THE MARKET WE HAVE REACHED



USA

10.000M³/YEAR



**EUROPE
& TURKEY**

22.000M³/YEAR



UAE

15.000M³/YEAR



AUSTRALIA


18.000M³/YEAR

PRODUCT LIST


- Angola wood is the top quality in Africa
- Evaluation of good wood percentage >80%
- 20% cheaper than wood of the same type on the market
- Excellent natural properties
- Large supply capacity: 50.000 m3. All year round
- Low MOQ: from 1 container

Hardwood


IROKO



SAPELE




PADOUK



ACAJOU



RED GUM



DOUSSIÉ



PACHYLOBA



SIPO



KOSIPO




MUSSIVI




DABÉMA



DIBÉTOU




MOVINGUI



MUKULUNGU



IZOMBÉ



BILINGA



RAW WOOD FORMATS



FLOORING



DIMENSIONAL LUMBER



KILN DRIED WOOD



SLABS/DISKS WOOD

IROKO

Iroko is marketed as a low-cost alternative to genuine TEAK, and is even sold under the name African teak, though that common name is much more commonly applied to afrormosia (*Pericopsis Elata*)—but neither of these woods are botanically related to true teak. Nonetheless, the wood is stable, durable, and has an overall look that somewhat resembles teak.

Scientific Name	<i>Chlorophora excelsa</i> , <i>Chlorophora regia</i>
Family	<i>Moraceae</i>
Origin	Angola
Availability	Lumber/ Slab/ Disk/ Flooring
Colour	Heartwood is usually a yellow to golden or medium brown, with color tending to darken over time. Pale yellow sapwood is clearly demarcated from the heartwood.
Durability	Very durable, and is resistant to both rot and insect attack
Density	650 - 850 kg/m ³
Nation Preferred	USA, Australia, Asia, Europe, Pakistan, Egypt



SAPELE

With suitable weather conditions in Angola, **Sapele** wood trees grow well and in very large numbers. The large size makes Sapele wood popular in Europe and the UAE. We guarantee the cheapest prices on the market.

Scientific Name	<i>Entandrophragma Cylindricum</i>
Origin	Angola
Availability	Lumber/ Slab/ Disk/ Flooring
Colour	Heartwood is medium to dark-raddish brown with a medium texture, high-luster, pale yellow sapwood
Durability	- Medium - Needs to be painted or stained
Density	700 - 900 kg/m ³
Nation Preferred	USA, Australia, Asia, Europe, Spain, Sweden



TAKULA-PADOUK

There is no debate about its hardness and resistance to insects, Padauk wood deserves to be the choice of top interior designers. Beautiful wood grain helps elevate your product.

Scientific Name	<i>Pterocarpus Tinctorius</i> Family: Fabaceae
Origin	Angola
Availability	Lumber/ Slab/ Disk/ Flooring
Colour	Heartwood is reddish brown. Sapwood is pale yellowish white
Durability	Extremely heavy and dense but very durable, Padauk's Has excellent decay resistance.
Density	550 kg/m ³
Nation Preferred	USA, Australia, Asia, Europe, Pakistan Russia, Cameroon



RED GUM

Red Gum in Angola is suitable for local climatic conditions, so it is large in size and has a darker, more beautiful wood color than Eucalyptus Camaldulensis and Red Gum Globulus

Scientific Name	<i>Red Gum Globulus Labill</i>
Origin	Angola
Availability	Lumber/ Slab/ Disk/ Flooring
Colour	Heartwood is pale cream color and the hearwood is red to reddish-brown
Durability	Durability is rated at moderate level
Density	480 - 550 kg/m ³
Nation Preferred	USA, Australia, Asia, Europe, Spain, Morocco, Russia



SIPO-UTILE

The tropical Sipo tree is one of the largest trees in Angola, reaching up to 60 meters in height and 2 meters in diameter! This versatile wood is popular for use in both interior and exterior furniture. Sipo wood is especially popular in the US and Australian markets for its durability and aesthetic qualities.


Scientific Name	<i>Entandrophragma</i>
Origin	Angola
Availability	Lumber/ Slab/ Disk/ Flooring
Colour	Heartwood is golden to reddish brown. Fairly well defined sapwood is a contrasting pale brown
Durability	Durable to moderately durable for rot and bug resistance
Density	620-880 kg/m ³
Nation Preferred	USA, Australia, Asia, Europe, Cameroon, Morocco



PACHYLOBA

With a captivating grain pattern and warm tones, it is an ideal choice for crafting enduring furniture and interior elements. Known for its durability, Pachyloba wood ensures both visual appeal and long-lasting functionality. Additionally, its sustainable nature and resistance to pests make it an environmentally friendly option.

Scientific Name	<i>Azelia Pachyloba</i>
Origin	Angola
Availability	Lumber/ Slab/ Disk/ Flooring
Colour	Ranges from light to dark red-brown
Durability	Durable, requires no treatment with preservatives
Density	660 - 850 kg/m ³
Nation Preferred	USA, Australia, Asia, Europe, Russia, Sweden, China, Pakistan



DOUSSIÉ-AFZELIA

Doussié wood from Angola is a rare, hardwood with a deep, rich brown color and beautiful grain pattern. Doussié wood is highly durable and does not require treatment with preservatives, even when used in wet or insect-infested environments.

Scientific Name	<i>Azelia Africana (Caesalpinaceae)</i>
Origin	Angola
Availability	Lumber/ Slab/ Disk/ Flooring
Colour	Heartwood is usually a yellow to golden or medium brown, with color tending to darken over time. Pale yellow sapwood is clearly demarcated from the heartwood.
Durability	Very hard and durable, and it has excellent resistance to attack by termites
Density	650 - 850 kg/m ³
Nation Preferred	USA, Australia, Asia, Europe, Russia, Sweden, China



AFRICAN MAHOGANY - ACAJOU

An exquisite wood sourced from the heart of Africa, renowned for its timeless elegance and versatility. Acajou d'Afrique is celebrated for its resistance to decay and stability, making it a reliable choice for various applications.

Scientific Name	<i>Khaya Anthotheca</i>
Origin	Angola
Availability	Lumber/ Slab/ Disk/ Flooring
Colour	Heartwood is pale to purplish brown, distinctly demarcated from the white sapwood
Durability	Very hard and durable, and it has excellent resistance to attack by termites
Density	600 - 770 kg/m ³
Nation Preferred	USA, Australia, Asia, Europe, Spain, Sweden



BILINGA

Bilinga wood is a versatile and attractive option for a variety of woodworking projects. Its durability and unique color make it a standout choice for those looking for a high-quality wood that will last for many years.

Scientific Name	<i>Nauclea diderrichii</i>
Origin	Angola
Availability	Lumber/ Slab/ Disk/ Flooring
Colour	Ranges from golden yellow to golden brown.
Durability	Very strong and durable wood. It is naturally resistant to fungi, termites, and dry wood borers
Density	750-900 kg/m ³
Nation Preferred	France, Portugal, Spain, North America



MUKULUNGU

The wood has a fine texture and often displays an attractive grain pattern, highly valued for its durability and resistance to decay, making it suitable for a variety of applications.

Scientific Name	<i>Autranella Congolensis</i>
Origin	Angola
Availability	Lumber/ Slab/ Disk/ Flooring
Colour	Ranges from reddish-brown heartwood to darker brown streaks
Durability	Exceptional durability. It's highly resistant to fungi, termites, and even dry wood borers
Density	890-950 kg/m ³
Nation Preferred	United States, Cameroon, Spain, Turkey, Thailand, Vietnam



DABEMA

The wood has a fine texture and often displays an attractive grain pattern, highly valued for its durability and resistance to decay, making it suitable for a variety of applications.

Scientific Name	<i>Piptadeniastrum Africanum</i>
Origin	Angola
Availability	Lumber/ Slab/ Disk/ Flooring
Colour	Ranges from light brown to dark brown
Durability	Highly regarded for its impressive density and durability
Density	689 - 695 kg/m ³
Nation Preferred	France, Germany, China, Portugal



DIBETOU

Dibetou is a hardwood often used as a cost-effective alternative to genuine walnut, despite not being botanically related. It is stable, durable, and has an attractive appearance resembling true walnut, making it popular for furniture and veneers.

Scientific Name	<i>Lovoa trichilioides</i>
Origin	Angola
Availability	Lumber/ Slab/ Disk/ Flooring
Colour	Yellow brown or grey brown with black streaks or veins taking a golden glint
Durability	Durability is rated at moderate level
Density	700 - 900 kg/m ³
Nation Preferred	USA, Australia, Asia, Europe, Spain, Sweden



KOSIPO

Kosipo is marketed as a low-cost alternative to genuine Mahogany, and is even sold under the name African Mahogany. It is commonly employed in the manufacture of furniture, cabinetry, and interior joinery.

Scientific Name	<i>Entandrophragma candollei</i>
Origin	Angola
Availability	Lumber/ Slab/ Disk/ Flooring
Colour	Heartwood is a golden to dark reddish brown. Color tends to darken with age.
Durability	Moderately durable to durable to fungi and is durable to dry wood borers
Density	680-745 kg/m ³
Nation Preferred	United Kingdom, Germany, United States, Ghana, China



MUSSIVI

Mussivi wood is prized for its unique characteristics, beautiful reddish-brown color, and smooth, interlocking grain pattern. These qualities make it a valuable material for furniture, flooring, and other high-end applications.

Scientific Name	<i>Guibourtia Coleosperma</i>
Origin	Angola
Availability	Lumber/ Slab/ Disk/ Flooring
Colour	Ranges from light brown to golden brown, chocolate, brick red or purplish brown
Durability	Mussivi wood is hard, tough, and strong, and is rarely damaged by termites due to its high oil content
Density	700-900 kg/m ³
Nation Preferred	South Africa, Ghana, China, Thailand, Vietnam, Indonesia, Korea



CERTIFICATES



CITES (Convention on International Trade in Endangered Species)
 CISM (Certified Environmental Systems Manager)
 CoC (Certificate of Conformity)


STANDARD PURCHASE PROCEDURES

No	Who	Work	Days(Max)
1	Both	Product Enquiry	2
2	Both	Details Negotiation	4
3	Buyer	Confirm PI	2
4	Buyer	Payment	3
5	Seller	Mass Production	12
6	Seller	Load Container	14
7	Seller	Delivery	(*)
8	Seller	After sales service	
9	Buyer	Repeat order	

Delivery time can be adjusted according to mutual agreement





PAST PERFORMANCE



K-Timber 's Customer from Denmark imported 40m3.
 Product: Doussié
 They continue to order Iroko wood for next order.

CUSTOMERS FROM OTHER COUNTRIES



AWARDS



Award for Top 10 Most Trusted Brand in ASEAN



The greatest reward of K-TIMBER (HATC Wood African) is to bring ecological planning to the people of Africa.
We work on reforestation, food production and child sponsorship.

FOREST AREA & IMPROVEMENT OF ANGOLAN LIFE



(HATC) plants ten thousand trees every year and instructs the Angolan people to cultivate crops.



K-Timber joins the Vietnamese community in Luanda-Sul to support and supply goods to impoverished children.



K-TIMBER (HATC WOOD AFRICAN)

works closely with the Angolan government



K-Timber (HATC) participated in economic meetings with the forestry minister of Angola



K-TIMBER

CONTACT US

With more than 20 years of experience and the ability to optimize costs, our company brings you the best prices and top quality.

Do you need a reliable partner? Please contact us by email and let us know your intentions. One of our representatives will contact you afterwards.



SCAN FOR WEBSITE

Company Name: K-Timber (HATC WoodAfrican)

VAT Number: 0108888077

Location: Angola

Contact person: +84 84 444 4693 (Whatsapp)

Email: info@k-timbers.com

Tel: +84 84 444 4693

Website: k-timbers.com

K-TIMBER (HATC WOODAFRICAN)

THANK YOU

Wood African
Quality is king!

